

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	274	captured adj spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 08:29
S3	10	("1900289"   "1960709"   "2368775"   "3503601"   "4385754").PN. OR ("4973030"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:35
S4	12	("2259970"   "2904853"   "3362042"   "3545235"   "4690468"   "4709951").PN. OR ("4947516"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:39
S5	34088	detent and spring and adjustable	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:39
S6	9811	S5 and cylinder	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:39
S7	4513	S6 and roller	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:39
S8	193	S7 and telescopic	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:48
S9	119276	spring and cylinder and adjustable	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:49
S10	68292	cam adj follower	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:49
S11	20161	S10 and (spring and cylinder)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:50
S12	8953	S11 and adjustable	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:50
S13	2759	S12 and plunger	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:50
S14	930	S13 and lift	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:57
S15	9617	spring adj latch	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:57

S16	3363	S15 and bracket	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 08:57
S17	676	S16 and cylinder	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:18
S19	1524	403/326	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:30
S20	929	S19 and spring	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:30
S21	16	("0265474"   "1653553"   "3233932"   "3397000"   "4597599"   "4699406"   "4798271"   "5165738"   "5769472").PN. OR ("6299223").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:41
S22	7062	spring adj detent	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:41
S23	302	S22 and adjustable and cylinder and nut	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:46
S24	11826	(spring adj loaded) and follower	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:47
S25	5003	S24 and bracket	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:47
S26	2898	S25 and compress\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:47
S27	1981	S26 and (tube or cylinder)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:48
S28	699	S27 and resistance	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 09:48
S29	21	("3174634"   "4738581"   "4741660"   "4775282"   "5011361"   "5122024"   "5137411").PN. OR ("5567107").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:02
S30	1455	spring adj latch and detent	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:03
S31	445	S30 and adjustable	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:03
S32	1	("3326565").URPN.	USPAT	OR	ON	2005/10/06 10:18

S33	1	"2616714".pn.	USPAT	OR	ON	2005/10/06 10:18
S34	8	("2616714").URPN.	USPAT	OR	ON	2005/10/06 10:19
S35	9	("2616714"   "3612559").PN. OR ("3870326").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 10:21
S36	556	spring adj loaded adj cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 10:55
S37	24	("3748716"   "3757561"   "3771780"   "3830347"   "3997033"   "4157819"   "4289049"   "4352003"   "4382394"   "4471182"   "4504038"   "4832325"   "4837411"   "5114334"   "5252010"   "5320374"   "5501123"   "5526715"   "5676024"   "5722648"   "5735514"   "6213566"   "6264436"   "6272949").PN. OR ("6439083").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/06 11:01